


## Overview

---

The MY16-EX is an optional I/O expansion card for compatible Yamaha digital mixing consoles and signal processors. It expands the channel count available with compatible cards such as Yamaha MY16-ES64 EtherSound network interface card.



## Features

---

- 24bit resolution, 16-in/16-out expansion card for MY16-ES64 and MY16-MD64
- 4 x RJ-45 connectors
- Dimensions: 120mm x 40mm x 176mm (4.7" x 1.6" x 6.9")

## Specifications



---

### General Specifications

Channel Count	16IN / 16OUT
Connector	4 x RJ-45 connectors

**Dimensions**

Unit: mm (inch)



## Architectural and Engineering Specifications

---

The MY16-EX is an optional I/O expansion card for compatible Yamaha digital mixing consoles and signal processors. It shall expand the channel count available with compatible cards such as Yamaha MY16-ES64 EtherSound network interface card. It shall be possible to connect up to three MY16-EX cards in a daisy-chain configuration. The MY16-EX shall have four RJ45 connectors for connection to MY16-ES64 or MY16-MD64 network interface cards. Dimensions shall be 120 (W) x 40 (H) x 176 (D) mm.

\*All information subject to change without notice.

\*All trademarks and registered trademarks are property of their respective owners.

Created in March, 2017

**YAMAHA CORPORATION**  
P.O.BOX 1, Hamamatsu Japan  
[www.yamahaproaudio.com](http://www.yamahaproaudio.com)